

List 45

Alderley - Dorrington - Enoggera - Everton Park - Ferny Grove - Gaythorne - Grovely - Hill End - Keperra - Mitchelton - Oakleigh - Oxford Park^{18,41,42}

T + L soils: "TOOWONG" + "LOGAN" LANDSCAPES: Low hills in Bunya phyllite adjacent to alluvial soils on sets of low discontinuous terraces of the Enoggera Creek and Kedron Brook valleys; poor, thin gravelly surface soils on the crests and slopes; merging to increasingly deeper pale sub-surface horizon and deeper red clay subsoil; fine angular quartz and phyllite gravel inclusions; merging with alluvial soils becoming acid in a clay subsoil in the downstream plains.

[From G.G. Beckmann, G.D. Hubble and C.H. Thompson: **The Soil Landscapes of Brisbane and South-eastern Environs** CSIRO, 1987]

Common Name	Botanical Name	Features
<u>Ground Covers and Grasses: 0 - 1 metre and Vines</u>		
Brisbane lily	<i>Proiphys cunninghamii</i>	hardy bulb from hoop pine forests; large heart-shaped leaves annually; sprays of white flowers
calotis daisy	<i>Calotis cuneifolia</i>	open, spreading clumps of white daisy bushes; from dark heavy loams away from invading grasses
gristle fern	<i>Blechnum cartilagineum</i>	upright, hardy fern with a creeping rhizome; pink new growth; moist, open sites;
guinea flower	<i>Hibbertia stricta</i>	upright shrub with fine leaves; bright yellow flowers; suit rockery
kangaroo grass	<i>Themeda triandra</i>	wide-spread grass of the eucalypt forest; fine foliage; coppery seed heads in summer
native iris	<i>Patersonia sericea</i>	sparse clump; vibrant purple flowers in spring or after rain; sandy/rockery site; skipper butterflies
rasp fern	<i>Doodia aspera</i>	hardy, low-growing fern with pink new fronds; colonises banks; tolerates open areas or shade
sarsaparilla vine	<i>Hardenbergia violacea</i>	fine scrambling hardy vine; deep purple pea flowers in late winter; will cover lattice-work
tape vine	<i>Stephania japonica</i>	climber with glossy dark green heart-shaped leaves; red fleshy fruit on female plant; attracts wildlife
white beard	<i>Leucopogon juniperinus</i>	twiggy heath shrub with erect stems and spiky grey-green foliage; delicate white flowers in spring
<u>Low Shrubs: 1 - 2 metres</u>		
bolwarra	<i>Eupomatia laurina</i>	sprawling shrub for shaded area; dark shiny leaves turning bronze in winter; strong-smelling flowers
hairy psychotria	<i>Psychotria loniceroides</i>	attractive, open-branched shrub of forests and gullies; rusty appearance; clusters of juicy berries
hop bush	<i>Dodonaea triquetra</i>	shrub with distinctive clusters of bronze hop-like fruit; partial shade; moist, well-drained position
native gardenia	<i>Tabernaemontana pandacaqui</i>	open spreading shrub from moist slopes or rainforest edges; white perfumed flowers May; orange fruit
pavetta	<i>Pavetta australiensis</i>	tall shrub for sun or shade; clusters of fragrant flowers in Spring; deep fertile moist well drained soils
pointed leaf hovea	<i>Hovea acutifolia</i>	fine open shrub; purple pea flowers in late winter; prefers filtered light, deeper soils
zamia palm	<i>Macrozamia lucida</i>	low-growing cycad for rockeries or hill sides; no trunk; 2 metre fronds; poisonous fruit
	<i>Denhamia pittosporoides</i>	useful screen plant; lush green foliage with plentiful orange fruit; from dry rainforests
chain fruit	<i>Alyxia ruscifolia</i>	compact shrub; sharp leaves in whorls; small white, perfumed flowers; orange fruit; shelters birds

flat-stemmed wattle	<i>Acacia complanata</i>	small tree; hardy; diseases rare; yellow pom-pom flowers three or four times a year
grey myrtle	<i>Backhousia myrtifolia</i>	small spreading understorey tree with small fragrant leaves & beautiful Summer flower clusters
hickory wattle	<i>Acacia penninervis</i>	large shrub; compact shape in open area; pale yellow pom-pom flowers throughout summer
prickly pine	<i>Bursaria spinosa</i>	tall, spiny shrub for well drained site; bushy growth harbours small birds; scented flowers; butterflies
<u>Small Trees: 5 - 10 metres</u>		
bastard crow's ash	<i>Pentaceras australe</i>	medium coastal rainforest tree with pinnate leaves; honey-scented white flowers; yellow fruit
black she-oak	<i>Allocasuarina littoralis</i>	medium tree; fine needle foliage; male trees a rusty colour during winter flowering period; butterflies
eye-opener tree, corkwood	<i>Duboisia myoporoides</i>	scrub tree with white flowers; bark contains (commercial) narcotic ingredient used by Aborigines
foambark tree	<i>Jagera pseudorhus</i>	handsome tree; dark pinnate leaves; panicles of pink flowers; rusty coloured hairy fruit
native guava	<i>Rhodomyrtus psidioides</i>	tree of rainforest edges; furry leaves; clusters of pale pink flowers; small fruits attract birds
native quince	<i>Guioa semiglauca</i>	arching tree with mottled, pale-coloured smooth bark; leaves pale underneath; host tree for epiphytes
red kamala	<i>Mallotus philippensis</i>	nicely shaped tree if grown in sun; can be pruned to give new reddish growth; velvety red fruit
scrub turpentine	<i>Rhodamnia rubescens</i>	dense, adaptable screening plant; strong-perfumed flowers along branches; red berries attract birds
yellow boxwood	<i>Acronychia laevis</i>	rainforest tree of foothills; summer flowers; purple or white fruits
<u>Tall Trees: over 10 metres</u>		
grey ironbark	<i>Eucalyptus siderophloia</i>	<p>large trees for acreage or steep sites; comprised original canopy of the area; trunks a feature; provide food and nest and perch sites for varied native wildlife</p>
spotted gum	<i>Eucalyptus maculata</i>	
forest red gum	<i>Eucalyptus tereticornis</i>	
small fruited grey gum	<i>Eucalyptus propinqua</i>	
pink bloodwood	<i>Eucalyptus intermedia</i>	
tallowwood	<i>Eucalyptus microcorys</i>	
yellow stringybark	<i>Eucalyptus acmenoides</i>	
brush box	<i>Lophostemon confertus</i>	
celery wood	<i>Polyscias elegans</i>	
crow's ash	<i>Flindersia australis</i>	
blue quandong	<i>Elaeocarpus grandis</i>	large open fast-growing tree; always some scarlet leaves; small white bell-shaped flowers; blue fruit
scrub ironwood	<i>Choricarpia leptopetala</i>	dry rainforest timber tree with rusty new growth; cream pom-pom blossom in spring-summer
weeping myrtle	<i>Waterhousea floribunda</i>	large spreading tree with weeping form; small leaves; creek banks or large garden only; invasive roots
white fig	<i>Ficus virens</i> var. <i>sublanceolata</i>	large, fast growing, deciduous fig with drooping foliage; aerial roots; frost tender; invasive roots

